


## **Replaces Exmark Lazer Z S-Series Parts**



Zero Turn Mower with 72in Deck - Models LZS749AKC72400, LZS749AKC724A1, LZS801GKA724A1, LZS850EKA724W0 Caster Wheel





## **Replaces Exmark Lazer Z S-Series Parts**



Zero Turn Mower with 72in Deck - Models LZS749AKC72400, LZS749AKC724A1, LZS801GKA724A1, LZS850EKA724W0 Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity				
Tires	& Wheels								
0	TIRES		Click Here to View Complete Tire Selection	0					
31	R109-9127	109-9127	Tire & Wheel - 13x6.50-6 Flat Free	2					
Optio	onal Michelin Tweel Tires	5							
40	RTMT73818	109-9127, 117-0361, 126-3289, 126-4860	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2					
	Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:								
40	RTMT41011	109-9127, 117-0361, 126-3289, 126-4860	Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2					
	Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:								
41	RTMT40653		Michelin Spacer - 1/2in ID x 1in OD	4					
Othe	r parts Available								
50	R116-8888	103-1474-01, 1166707-01, 116-6707-01	Fork - Caster 7.875 in Inside	0					
51	R325-39	325-39	Bolt - Hx HD 1/2-13 x 9 1/2	2					
52	R103-2768	103-2768	Guard - Seal	4					

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## **Replaces Exmark Lazer Z S-Series Parts**



Zero Turn Mower with 72in Deck - Models LZS749AKC72400, LZS749AKC724A1, LZS801GKA724A1, LZS850EKA724W0 Caster Wheel

53       R103-3051       103-3051       Spacer - Nut - Hardened       4         54       R103-5156       103-5156       Axle- Caster       2         55       R103-0063       103-0063       Seal - Grease       4         56       R254-78       1-633585       Tapered Bearing Cone       4         57       R254-79       1-633584, R. R. ONLY       Cup - Bearing       4         Detail Description: Use R254-79M installation mandrel to properly install race.:       2         58       RF5003       3296-23       Locknut - ESNA 1/2-13       2         59       R126-5361       126-5361       Axle Assy - with Bushing - Caster       2         60       R500534       1-633585, R. R. ONLY       Bearing - with Cup       4         Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:       2         61       R116-5647       116-5647, R. R. ONLY       Seal - Grease       2         62       R254-94       1-543509       Tapered Bearing Cone       4         63       R254-72       1-543508       Cup - Bearing       4         64       R1-633508       1-633508       Washer - Spring Disc       6         65       R3296-51       Nut - Nylon Lock 3/4-10 Gr 8		R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity			
55       R103-0063       103-0063       Seal - Grease       4         56       R254-78       1-633585       Tapered Bearing Cone       4         57       R254-79       1-633584, R & R ONLY       Cup - Bearing       4         Detail Description: Use R254-79M installation mandrel to properly install race.:       2         58       RF5003       3296-23       Locknut - ESNA 1/2-13       2         59       R126-5361       126-5361       Axle Assy - with Bushing - Caster       2         60       R500534       1-633585, R & R ONLY       Bearing - with Cup       4         Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:         61       R116-5647       116-5647, R & R ONLY       Seal - Grease       2         62       R254-94       1-543509       Tapered Bearing Cone       4         63       R254-72       1-543508       Cup - Bearing       4         64       R1-633508       1-633508       Washer - Spring Disc       6         65       R3296-51       3296-51       Nut - Nylon Lock 3/4-10 Gr 8       2         66       R103-4882       103-4882       Grease Cap - Castor       2         7       R500596       R 8 R ONLY       Tapered Bearing Set	53	R103-3051	103-3051	Spacer - Nut - Hardened	4				
56       R254-78       1-633585       Tapered Bearing Cone       4         57       R254-79       1-633584, R & R ONLY       Cup - Bearing       4         Detail Description: Use R254-79M installation mandrel to properly install race.:         58       RF5003       3296-23       Locknut - ESNA 1/2-13       2         59       R126-5361       126-5361       Axle Assy - with Bushing - Caster       2         60       R500534       1-633585, R & R ONLY       Bearing - with Cup       4         Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:         61       R116-5647       Seal - Grease       2         62       R254-94       1-543509       Tapered Bearing Cone       4         63       R254-72       1-543508       Cup - Bearing       4         64       R1-633508       1-633508       Washer - Spring Disc       6         65       R3296-51       3296-51       Nut - Nylon Lock 3/4-10 Gr 8       2         66       R103-4882       103-4882       Grease Cap - Castor       2         67       R500596       R 8 R ONLY       Tapered Bearing Set - Cup and       4	54	R103-5156	103-5156	Axle- Caster	2				
57       R254-79       1-633584, R & R ONLY       Cup - Bearing       4         Detail Description: Use R254-79M installation mandrel to properly install race:         58       RF5003       3296-23       Locknut - ESNA 1/2-13       2         59       R126-5361       126-5361       Axle Assy - with Bushing - Caster       2         60       R500534       1-633585, R & R ONLY       Bearing - with Cup       4         Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:         61       R116-5647       Seal - Grease       2         62       R254-94       1-543509       Tapered Bearing Cone       4         63       R254-72       1-543508       Cup - Bearing       4         64       R1-633508       1-633508       Washer - Spring Disc       6         65       R3296-51       3296-51       Nut - Nylon Lock 3/4-10 Gr 8       2         66       R103-4882       103-4882       Grease Cap - Castor       2         67       R500596       R & R ONLY       Tapered Bearing Set - Cup and       4	55	R103-0063	103-0063	Seal - Grease	4				
R & R ONLY       Cup - Bearing       4         Detail Description: Use R254-79M installation mandrel to properly install race.:         58       RF5003       3296-23       Locknut - ESNA 1/2-13       2         59       R126-5361       126-5361       Axle Assy - with Bushing - Caster       2         60       R500534       1-633585, R & R ONLY       Bearing - with Cup       4         Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:       2         61       R116-5647       116-5647, R & R ONLY       Seal - Grease       2         62       R254-94       1-543509       Tapered Bearing Cone       4         63       R254-72       1-543508       Cup - Bearing       4         64       R1-633508       1-633508       Washer - Spring Disc       6         65       R3296-51       3296-51       Nut - Nylon Lock 3/4-10 Gr 8       2         66       R103-4882       103-4882       Grease Cap - Castor       2         67       R500596       R 8 R DNILY       Tapered Bearing Set - Cup and       4	56	R254-78	1-633585	Tapered Bearing Cone	4				
58       RF5003       3296-23       Locknut - ESNA 1/2-13       2         59       R126-5361       126-5361       Axle Assy - with Bushing - Caster       2         60       R500534       1-633585, R & R ONLY       Bearing - with Cup       4         Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:       2         61       R116-5647       Seal - Grease       2         62       R254-94       1-543509       Tapered Bearing Cone       4         63       R254-72       1-543508       Cup - Bearing       4         64       R1-633508       1-633508       Washer - Spring Disc       6         65       R3296-51       3296-51       Nut - Nylon Lock 3/4-10 Gr 8       2         66       R103-4882       103-4882       Grease Cap - Castor       2         7       R500596       R 8 R DNI Y       Tapered Bearing Set - Cup and       4	57	R254-79		Cup - Bearing	4				
59       R126-5361       126-5361       Axle Assy - with Bushing - Caster       2         60       R500534       1-633585, R & R ONLY       Bearing - with Cup       4         Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:         61       R116-5647       Seal - Grease       2         62       R254-94       1-543509       Tapered Bearing Cone       4         63       R254-72       1-543508       Cup - Bearing       4         64       R1-633508       1-633508       Washer - Spring Disc       6         65       R3296-51       3296-51       Nut - Nylon Lock 3/4-10 Gr 8       2         66       R103-4882       103-4882       Grease Cap - Castor       2         Tapered Bearing Set - Cup and         4		Detail Description: Use R254-79M installation mandrel to properly install race.:							
Caster         60       R500534       1-633585, R & R ONLY       Bearing - with Cup       4         Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:         61       R116-5647       \$116-5647, R & R ONLY       \$Seal - Grease       2         62       R254-94       \$1-543509       Tapered Bearing Cone       4         63       R254-72       \$1-543508       Cup - Bearing       4         64       R1-633508       \$1-633508       Washer - Spring Disc       6         65       R3296-51       \$3296-51       Nut - Nylon Lock 3/4-10 Gr 8       2         66       R103-4882       \$103-4882       Grease Cap - Castor       2         7       R500596       \$R & R ONLY       Tapered Bearing Set - Cup and       4	58	RF5003	3296-23	Locknut - ESNA 1/2-13	2				
Bearing - With Cup       4         Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:         61       R116-5647       116-5647, R & R ONLY       Seal - Grease       2         62       R254-94       1-543509       Tapered Bearing Cone       4         63       R254-72       1-543508       Cup - Bearing       4         64       R1-633508       1-633508       Washer - Spring Disc       6         65       R3296-51       3296-51       Nut - Nylon Lock 3/4-10 Gr 8       2         66       R103-4882       103-4882       Grease Cap - Castor       2         7       R500596       R & R ONLLY       Tapered Bearing Set - Cup and       4	59	R126-5361	126-5361		2				
61 R116-5647	60	R500534		Bearing - with Cup	4				
61       R116-3647       R & R ONLY       Seal - Grease       2         62       R254-94       1-543509       Tapered Bearing Cone       4         63       R254-72       1-543508       Cup - Bearing       4         64       R1-633508       Washer - Spring Disc       6         65       R3296-51       Nut - Nylon Lock 3/4-10 Gr 8       2         66       R103-4882       103-4882       Grease Cap - Castor       2         67       R500596       R & R ONLY       Tapered Bearing Set - Cup and       4		Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:							
63 <b>R254-72</b> 1-543508 Cup - Bearing 4  64 <b>R1-633508</b> 1-633508 Washer - Spring Disc 6  65 <b>R3296-51</b> 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2  66 <b>R103-4882</b> 103-4882 Grease Cap - Castor 2  7 <b>R500596</b> R 8 R R ONLY Tapered Bearing Set - Cup and 4	61	R116-5647		Seal - Grease	2				
64 R1-633508 1-633508 Washer - Spring Disc 6 65 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 Grease Cap - Castor 2  67 R500596 R8 R ONLY Tapered Bearing Set - Cup and 4	62	R254-94	1-543509	Tapered Bearing Cone	4				
65 <b>R3296-51</b> 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 <b>R103-4882</b> 103-4882 Grease Cap - Castor 2  67 <b>R500596</b> R & R & R ONLY Tapered Bearing Set - Cup and 4	63	R254-72	1-543508	Cup - Bearing	4				
66 <b>R103-4882</b> 103-4882 Grease Cap - Castor 2  67 <b>R500596</b> R & R & R ONLY Tapered Bearing Set - Cup and 4	64	R1-633508	1-633508	Washer - Spring Disc	6				
67 <b>R500596</b> R & R ONLY Tapered Bearing Set - Cup and 4	65	R3296-51	3296-51	Nut - Nylon Lock 3/4-10 Gr 8	2				
n/ Raillagh R & R IIIII Y	66	R103-4882	103-4882	Grease Cap - Castor	2				
	67	R500596	R & R ONLY		4				

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.