


Zero Turn Mower with 72in Deck - Models LZX801CKA726C1, LZX921GKA72600, LZX921GKA726C1, LZX940EKC72RT0, LZX940EKC72RW0, LZX980EKC72600, LZX980EKC726T0, LZX980EKC726W0 Caster Wheel





Zero Turn Mower with 72in Deck - Models LZX801CKA726C1, LZX921GKA72600, LZX921GKA726C1, LZX940EKC72RT0, LZX940EKC72RW0, LZX980EKC72600, LZX980EKC726T0, LZX980EKC726W0 Caster Wheel







Zero Turn Mower with 72in Deck - Models LZX801CKA726C1, LZX921GKA72600, LZX921GKA726C1, LZX940EKC72RT0, LZX940EKC72RW0, LZX980EKC72600, LZX980EKC726T0, LZX980EKC726W0 Caster Wheel



	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
<i>ires</i>	& Wheels				
0	TIRES		Click Here to View Complete Tire Selection	0	
31	R109-9127	109-9127	Tire & Wheel - 13x6.50-6 Flat Free	2	
Optic	onal Michelin Tweel	Tires			
40	RTMT73818	109-9127, 117-0361, 126-3289, 126-4860	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	
	radius mowers, and	completely eliminate the ris	replace the existing front casters on zero k of flat tires. They have a consistent hub n even cut, while the poly-resin spokes hel	height	
	dampen the ride for		t, even when navigating over curbs and o	ther	
40	dampen the ride for	enhanced operator comfort	t, even when navigating over curbs and o	ther 2	
40	dampen the ride for bumps. They are des RTMT41011 Detail Description: N radius mowers, and which helps ensure to dampen the ride for	enhanced operator comfort signed to provide a long wea 109-9127, 117-0361, 126-3289, 126-4860 Aichelin X Tweel Turf casters completely eliminate the ris the mower deck produces an	t, even when navigating over curbs and of r life.: Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load replace the existing front casters on zero k of flat tires. They have a consistent hub the even cut, while the poly-resin spokes hel t, even when navigating over curbs and of	2 turn height lp	
40	dampen the ride for bumps. They are des RTMT41011 Detail Description: N radius mowers, and which helps ensure to dampen the ride for	enhanced operator comfort signed to provide a long wea 109-9127, 117-0361, 126-3289, 126-4860 Aichelin X Tweel Turf casters completely eliminate the ris the mower deck produces an enhanced operator comfort	t, even when navigating over curbs and of r life.: Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load replace the existing front casters on zero k of flat tires. They have a consistent hub the even cut, while the poly-resin spokes hel t, even when navigating over curbs and of	2 turn height lp	
41	dampen the ride for bumps. They are des RTMT41011 Detail Description: M radius mowers, and which helps ensure a dampen the ride for bumps. They are des	enhanced operator comfort signed to provide a long wea 109-9127, 117-0361, 126-3289, 126-4860 Aichelin X Tweel Turf casters completely eliminate the ris the mower deck produces an enhanced operator comfort	t, even when navigating over curbs and of r life.: Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load replace the existing front casters on zero k of flat tires. They have a consistent hub o even cut, while the poly-resin spokes hel t, even when navigating over curbs and of r life.: Michelin Spacer - 1/2in ID x 1in	2 turn height lp ther	
41 Othe	dampen the ride for bumps. They are des RTMT41011 Detail Description: N radius mowers, and which helps ensure a dampen the ride for bumps. They are des RTMT40653	enhanced operator comfort signed to provide a long wea 109-9127, 117-0361, 126-3289, 126-4860 Aichelin X Tweel Turf casters completely eliminate the ris the mower deck produces an enhanced operator comfort	t, even when navigating over curbs and of r life.: Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load replace the existing front casters on zero k of flat tires. They have a consistent hub o even cut, while the poly-resin spokes hel t, even when navigating over curbs and of r life.: Michelin Spacer - 1/2in ID x 1in	2 turn height lp ther	



Zero Turn Mower with 72in Deck - Models LZX801CKA726C1, LZX921GKA72600, LZX921GKA726C1, LZX940EKC72RT0, LZX940EKC72RW0, LZX980EKC72600, LZX980EKC726T0, LZX980EKC726W0 Caster Wheel



	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
52	R103-2768	103-2768	Guard - Seal	4	
53	R103-3051	103-3051	Spacer - Nut - Hardened	4	
54	R103-5156	103-5156	Axle- Caster	2	
55	R103-0063	103-0063	Seal - Grease	4	
56	R254-78	1-633585	Tapered Bearing Cone	4	
57	R254-79	1-633584, R & R ONLY	Cup - Bearing	4	

Detail Description: Use R254-79M installation mandrel to properly install race.:

58 RF5003	3296-23	Locknut - ESNA 1/2-13	2
59 R126-5361	126-5361	Axle Assy - with Bushing - Caster	2
60 R500534	1-633585, R & R ONLY	Bearing - with Cup	4

Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:

116-5647, R & R ONLY	Seal - Grease	2
1-543509	Tapered Bearing Cone	4
1-543508	Cup - Bearing	4
1-633508	Washer - Spring Disc	6
3296-51	Nut - Nylon Lock 3/4-10 Gr 8	2
103-4882	Grease Cap - Castor	2
R & R ONLY	Tapered Bearing Set - Cup and Cone	4
	R & R ONLY 1-543509 1-543508 1-633508 3296-51 103-4882	R & R ONLYSeal - Grease1-543509Tapered Bearing Cone1-543508Cup - Bearing1-633508Washer - Spring Disc3296-51Nut - Nylon Lock 3/4-10 Gr 8103-4882Grease Cap - CastorR & R ONLYTapered Bearing Set - Cup and