


Replaces Exmark Vantage S-Series Parts Stand-On Mower with 36in Deck - Model VTS541CKA36300



Caster Wheel





Replaces Exmark Vantage S-Series Parts Stand-On Mower with 36in Deck - Model VTS541CKA36300



Caster Wheel

| Tires 30 R130-4558 112-3810 Wheel-Tire and Bearing Assy 2 31 R130-4563 110-9965 Wheel and Tire Assy 2 Other Parts Available 64 R121-7988-01 121-7988-01 Fork - Caster 2 65 R103-2768 103-2768 Guard - Seal 4 66 R103-3051 103-3051 Spacer - Nut - Hardened 4 67 R103-0063 103-0063 Seal - Grease 4 68 R500534 1-633585, R & R ONLY Bearing - with Cup 4 | Quantity | | | | |
|---|-----------------------|--|--|--|--|
| 31 R130-4563 110-9965 Wheel and Tire Assy 2 Other Parts Available 64 R121-7988-01 121-7988-01 Fork - Caster 2 65 R103-2768 103-2768 Guard - Seal 4 66 R103-3051 103-3051 Spacer - Nut - Hardened 4 67 R103-0063 103-0063 Seal - Grease 4 68 P500534 1-633585, Rearing - with Cup 4 | | | | | |
| Other Parts Available 64 R121-7988-01 121-7988-01 Fork - Caster 2 65 R103-2768 103-2768 Guard - Seal 4 66 R103-3051 103-3051 Spacer - Nut - Hardened 4 67 R103-0063 103-0063 Seal - Grease 4 68 P500534 1-633585, Rearing - with Cup 4 | | | | | |
| 64 R121-7988-01 121-7988-01 Fork - Caster 2 65 R103-2768 103-2768 Guard - Seal 4 66 R103-3051 103-3051 Spacer - Nut - Hardened 4 67 R103-0063 103-0063 Seal - Grease 4 68 P500534 1-633585, Bearing - with Cup 4 | | | | | |
| 65 R103-2768 103-2768 Guard - Seal 4 66 R103-3051 103-3051 Spacer - Nut - Hardened 4 67 R103-0063 103-0063 Seal - Grease 4 68 P500534 1-633585, Bearing - with Cup 4 | Other Parts Available | | | | |
| 66 R103-3051 103-3051 Spacer - Nut - Hardened 4 67 R103-0063 103-0063 Seal - Grease 4 68 P500534 1-633585, Bearing - with Cup 4 | | | | | |
| 67 R103-0063 103-0063 Seal - Grease 4 | | | | | |
| 68 P500534 1-633585, Rearing - with Cup. | | | | | |
| | | | | | |
| | | | | | |
| Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: | | | | | |
| 69 R254-78 1-633585 Tapered Bearing Cone 4 | | | | | |
| 70 R254-79 1-633584, Cup - Bearing 4 | | | | | |
| Detail Description: Use R254-79M installation mandrel to properly install race.: | | | | | |
| 71 R126-5359 126-5359 Caster Axle Assy w/Bushing 2 | | | | | |
| 72 R103-3157 103-3157 Axle - Caster Wheel 2 | | | | | |
| 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 | | | | | |
| 74 R325-20 325-20 Bolt - Hx HD 1/2-13 x 6 2 | | | | | |
| 75 R116-5647 116-5647, R & R ONLY Seal - Grease 2 | | | | | |
| 76 R254-94 1-543509 Tapered Bearing Cone 4 | | | | | |
| 77 R254-72 1-543508 Cup - Bearing 4 | | | | | |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces Exmark Vantage S-Series Parts Stand-On Mower with 36in Deck - Model VTS541CKA36300



Caster Wheel

| Item R&R No Part No. | OEM Part No. | Description | Qty Order Req Quantity |
|---|-----------------|------------------------------------|---|
| 78 R500596 | R & R ONLY | Tapered Bearing Set - Cup and Cone | 4 |
| 80 R1-633508 | 1-633508 | Washer - Spring Disc | 6 |
| 81 R3296-51 | 3296-51 | Nut - Nylon Lock 3/4-10 Gr 8 | 2 |
| 82 R103-4882 | 103-4882 | Grease Cap - Castor | 2 |