


Caster Wheel





All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.

R		ero-Turn Mower	Z - Cheetah Parts		
	R&R Part No.	OEM Part No.	Description	Qty Req	Orde Quantit
	& Wheels	Fait NO.	Description	Keq	Quantit
20	TIRES		Click Here to View Complete Tire Selection	0	
Optio	onal Michelin Tweel T	ires			
30	RTMT41011	482619, 486422, 487683, 924C, 9278	Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	
	radius mowers, and c which helps ensure th dampen the ride for e	ompletely eliminate the e mower deck produces	ers replace the existing front casters on zero to risk of flat tires. They have a consistent hub h an even cut, while the poly-resin spokes help fort, even when navigating over curbs and oth year life.:	neight	
30	RTMT73818	482619, 486422, 487683, 924C, 9278	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	
30	Detail Description: Mi radius mowers, and c which helps ensure th dampen the ride for e	486422, 487683, 924C, 9278 chelin X Tweel Turf caste ompletely eliminate the e mower deck produces	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load ers replace the existing front casters on zero to risk of flat tires. They have a consistent hub h an even cut, while the poly-resin spokes help fort, even when navigating over curbs and oth	urn neight	
	Detail Description: Mi radius mowers, and c which helps ensure th dampen the ride for e	486422, 487683, 924C, 9278 chelin X Tweel Turf caste ompletely eliminate the e mower deck produces enhanced operator comf	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load ers replace the existing front casters on zero to risk of flat tires. They have a consistent hub h an even cut, while the poly-resin spokes help fort, even when navigating over curbs and oth	urn neight	
31	Detail Description: Mi radius mowers, and c which helps ensure th dampen the ride for e bumps. They are desig	486422, 487683, 924C, 9278 chelin X Tweel Turf caste ompletely eliminate the e mower deck produces enhanced operator comf	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load ers replace the existing front casters on zero to risk of flat tires. They have a consistent hub h an even cut, while the poly-resin spokes help fort, even when navigating over curbs and oth year life.: Michelin Spacer - 1/2in ID x 5/8in	urn neight ner	
31 <b>Dthe</b>	Detail Description: Mi radius mowers, and c which helps ensure th dampen the ride for e bumps. They are desig <b>RTMT38182</b>	486422, 487683, 924C, 9278 chelin X Tweel Turf caste ompletely eliminate the e mower deck produces enhanced operator comf	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load ers replace the existing front casters on zero to risk of flat tires. They have a consistent hub h an even cut, while the poly-resin spokes help fort, even when navigating over curbs and oth year life.: Michelin Spacer - 1/2in ID x 5/8in	urn neight ner	
31 <b>Dthe</b> 43	Detail Description: Mi radius mowers, and c which helps ensure th dampen the ride for e bumps. They are desig RTMT38182 r Parts Available	486422, 487683, 924C, 9278 chelin X Tweel Turf caste ompletely eliminate the re mower deck produces enhanced operator comf gned to provide a long w	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load ers replace the existing front casters on zero to risk of flat tires. They have a consistent hub h an even cut, while the poly-resin spokes help fort, even when navigating over curbs and oth year life.: Michelin Spacer - 1/2in ID x 5/8in OD	urn beight ber 4	
31 <b>Dthe</b> 43 44	Detail Description: Mi radius mowers, and c which helps ensure th dampen the ride for e bumps. They are desig RTMT38182 r Parts Available RZS481025	486422, 487683, 924C, 9278 chelin X Tweel Turf caste ompletely eliminate the re mower deck produces onhanced operator comf gned to provide a long w 481025	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load ers replace the existing front casters on zero to risk of flat tires. They have a consistent hub h an even cut, while the poly-resin spokes help fort, even when navigating over curbs and oth year life.: Michelin Spacer - 1/2in ID x 5/8in OD Seal - Bottom	urn height her 4	
31 <b>Dthe</b> 43 44	Detail Description: Mi radius mowers, and c which helps ensure th dampen the ride for e bumps. They are desig RTMT38182 r Parts Available RZS481025 RZS43583 R500534	486422, 487683, 924C, 9278 chelin X Tweel Turf caste ompletely eliminate the re mower deck produces enhanced operator comf gned to provide a long w 481025 43583 482621	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load ers replace the existing front casters on zero to risk of flat tires. They have a consistent hub h an even cut, while the poly-resin spokes help fort, even when navigating over curbs and oth year life.: Michelin Spacer - 1/2in ID x 5/8in OD Seal - Bottom Sleeve - Caster Wheel	urn height her 4 2 2	

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.

R	& R ducts	52in Zero-Turn Mower	CZ - Cheetah Parts					
	R&R Part No.	Caster Wheel OEM Part No.	Description	Qty Req	Order Quantity			
47	R254-79		Cup - Bearing	4				
	Detail Description: Use R254-79M installation mandrel to properly install race.:							
50	RZS451658	<b>3</b> 451658	Yoke Weldment	2				
52	RZS43584	43584	Spacer - Caster Wheel	4				

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.