


Replaces John Deere 1545 Rotary Mower Parts



62 & 72in Rear Discharge Deck - Model 2849 72in Deck Parts





Replaces John Deere 1545 Rotary Mower Parts



62 & 72in Rear Discharge Deck - Model 2849 72in Deck Parts

Belts 20 REPC201624 EPC201624 Belt - Double Hex V - 72 in Deck 1 Detail Description: Fits Model 2849 Only: Other Parts Available 44 RM141764 M141764 Eyebolt - Includes Flanged Locknut 1 46 RTCU38142 TCU14182, TCU38142, TCU38142		R&R Part No.	OEM Part No.	Description	Qty Order Req Quantity					
Detail Description: Fits Model 2849 Only: Other Parts Available 44 RM141764 M141764 Eyebolt - Includes Flanged Locknut 1 46 RTCU38142 TCU14182, TCU38142 Hub - Sub For TCU51119 or TCU14182 3 47 RM124203 M124203 Shaft 1 48 R19M7868 19M7868 Bolt - M8-1.25 x 30 HHF 30 49 R14M7396 Locknut - Flanged Nyloc 30 49 R14M7298 H137328 Locknut 30 50 R14M7298 14M7298 Nut - 8mm x 1.25 Flanged 30 51 R471217 JD7803 Fitting - Grease 3 52 RTCU39458 TCU39458 Plate - Spindle Mount Reinforcement 9 76 RM123569 M123569 Flange Nut 3 78 RM88251 M169375, M88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9	Belts									
Other Parts Available 44 RM141764 M141764 Eyebolt - Includes Flanged Locknut 1 46 RTCU38142 TCU14182, TCU38142 Hub - Sub For TCU51119 or TCU14182 3 47 RM124203 M124203 Shaft 1 48 R19M7868 19M7868 Bolt - M8-1.25 x 30 HHF 30 49 R14M7396 Locknut - Flanged Nyloc 30 49 RH137328 H137328 Locknut 30 50 R14M7298 14M7298 Nut - 8mm x 1.25 Flanged 30 51 R471217 JD7803 Fitting - Grease 3 52 RTCU39458 TCU39458 Plate - Spindle Mount Reinforcement 9 76 RM123569 M123569 Flange Nut 3 77 R253-133 M85699 Seal - Oil 3 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 <td>20</td> <td>REPC201624</td> <td>EPC201624</td> <td>Belt - Double Hex V - 72 in Deck</td> <td>1</td>	20	REPC201624	EPC201624	Belt - Double Hex V - 72 in Deck	1					
44 RM141764 M141764 Eyebolt - Includes Flanged Locknut 1 46 RTCU38142 TCU14182, TCU38142 Hub - Sub For TCU51119 or TCU14182 3 7 RM124203 M124203 Shaft 1 48 R19M7868 19M7868 Bolt - M8-1.25 x 30 HHF 30 49 R14M7396 14M7396 Locknut - Flanged Nyloc 30 49 R14M7298 H137328 Locknut 30 50 R14M7298 Nut - 8mm x 1.25 Flanged 30 51 R471217 JD7803 Fitting - Grease 3 52 RTCU39458 TCU39458 Plate - Spindle Mount Reinforcement 9 76 RM123569 M123569 Flange Nut 3 77 R253-133 M85699 Seal - Oil 3 78 RM88251 M169375, M88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4 <		Detail Descrip	tion: Fits Mod	el 2849 Only:						
46 RTCU38142 TCU14182, TCU38142 Hub - Sub For TCU51119 or TCU14182 3 Tech Note: For RTCA51058 Spindle Assembly: 47 RM124203 M124203 Shaft 1 48 R19M7868 19M7868 Bolt - M8-1.25 x 30 HHF 30 49 R14M7396 14M7396 Locknut - Flanged Nyloc 30 49 RH137328 H137328 Locknut 30 50 R14M7298 Nut - 8mm x 1.25 Flanged 30 51 R471217 JD7803 Fitting - Grease 3 52 RTCU39458 TCU39458 Plate - Spindle Mount Reinforcement 9 76 RM123569 M123569 Flange Nut 3 77 R253-133 M85699 Seal - Oil 3 78 RM88251 M169375, M88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4	Other	r Parts Availal	ble							
TCU38142 Assembly: 47 RM124203 M124203 Shaft 1 48 R19M7868 19M7868 Bolt - M8-1.25 x 30 HHF 30 49 RH137328 Locknut - Flanged Nyloc 30 50 R14M7298 Hu137328 Locknut 30 50 R4471217 JD7803 Fitting - Grease 3 52 RTCU39458 TCU39458 Plate - Spindle Mount Reinforcement 9 76 RM123569 M123569 Seal - Oil 3 77 R253-133 M85699 Seal - Oil 3 Authorized <td cols<="" td=""><td>44</td><td>RM141764</td><td>M141764</td><td>Eyebolt - Includes Flanged Locknut</td><td>1</td></td>	<td>44</td> <td>RM141764</td> <td>M141764</td> <td>Eyebolt - Includes Flanged Locknut</td> <td>1</td>	44	RM141764	M141764	Eyebolt - Includes Flanged Locknut	1				
47 RM124203 M124203 Shaft 1 48 R19M7868 19M7868 Bolt - M8-1.25 x 30 HHF 30 49 R14M7396 14M7396 Locknut - Flanged Nyloc 30 49 RH137328 H137328 Locknut 30 50 R14M7298 Nut - 8mm x 1.25 Flanged 30 51 R471217 JD7803 Fitting - Grease 3 52 RTCU39458 TCU39458 Plate - Spindle Mount Reinforcement 9 76 RM123569 M123569 Flange Nut 3 77 R253-133 M85699 Seal - Oil 3 78 RM88251 M169375, M88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4	46	RTCU38142		Hub - Sub For TCU51119 or TCU14182	3					
48 R19M7868 19M7868 Bolt - M8-1.25 x 30 HHF 30 49 R14M7396 14M7396 Locknut - Flanged Nyloc 30 49 RH137328 H137328 Locknut 30 50 R14M7298 14M7298 Nut - 8mm x 1.25 Flanged 30 51 R471217 JD7803 Fitting - Grease 3 52 RTCU39458 TCU39458 Plate - Spindle Mount Reinforcement 9 76 RM123569 M123569 Flange Nut 3 77 R253-133 M85699 Seal - Oil 3 78 RM88251 M169375, M88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4		Tech Note: For RTCA51058 Spindle Assembly:								
49 R14M7396 14M7396 Locknut - Flanged Nyloc 30 49 RH137328 H137328 Locknut 30 50 R14M7298 14M7298 Nut - 8mm x 1.25 Flanged 30 51 R471217 JD7803 Fitting - Grease 3 52 RTCU39458 TCU39458 Plate - Spindle Mount Reinforcement 9 76 RM123569 M123569 Flange Nut 3 77 R253-133 M85699 Seal - Oil 3 78 RM88251 M169375, M88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4	47	RM124203	M124203	Shaft	1					
49 RH137328 H137328 Locknut 30 50 R14M7298 14M7298 Nut - 8mm x 1.25 Flanged 30 51 R471217 JD7803 Fitting - Grease 3 52 RTCU39458 TCU39458 Plate - Spindle Mount Reinforcement 9 76 RM123569 M123569 Flange Nut 3 77 R253-133 M85699 Seal - Oil 3 78 RM88251 M169375, M88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4	48	R19M7868	19M7868	Bolt - M8-1.25 x 30 HHF	30					
50 R14M7298 14M7298 Nut - 8mm x 1.25 Flanged 30 51 R471217 JD7803 Fitting - Grease 3 52 RTCU39458 TCU39458 Plate - Spindle Mount Reinforcement 9 76 RM123569 M123569 Flange Nut 3 77 R253-133 M85699 Seal - Oil 3 78 RM88251 M169375, M88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4	49	R14M7396	14M7396	Locknut - Flanged Nyloc	30					
51 R471217 JD7803 Fitting - Grease 3 52 RTCU39458 TCU39458 Plate - Spindle Mount Reinforcement 9 76 RM123569 M123569 Flange Nut 3 77 R253-133 M85699 Seal - Oil 3 78 RM88251 M169375, M88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4	49	RH137328	H137328	Locknut	30					
52 RTCU39458 TCU39458 Plate - Spindle Mount Reinforcement 9 76 RM123569 M123569 Flange Nut 3 77 R253-133 M85699 Seal - Oil 3 78 RM88251 M169375, M88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4	50	R14M7298	14M7298	Nut - 8mm x 1.25 Flanged	30					
76 RM123569 M123569 Flange Nut 3 77 R253-133 M85699 Seal - Oil 3 78 RM88251 M169375, M88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4	51	R471217	JD7803	Fitting - Grease	3					
77 R253-133 M85699 Seal - Oil 3 78 RM88251 M169375, M88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4	52	RTCU39458	TCU39458	Plate - Spindle Mount Reinforcement	9					
78 RM88251 M169375, M88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4	76	RM123569	M123569	Flange Nut	3					
78 RM88251 Bearing - Spindle 6 79 RM127198 M127198 Seal 3 80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4	77	R253-133	M85699	Seal - Oil	3					
80 R19M7489 19M7489 Bolt Hex HD - M16 x 45 Gr 10.9 3 81 RM115245 M115245 Roller 4	78	RM88251		Bearing - Spindle	6					
81 RM115245 M115245 Roller 4	79	RM127198	M127198	Seal	3					
	80	R19M7489	19M7489	Bolt Hex HD - M16 x 45 Gr 10.9	3					
82 RM123522 M123522 Washer - Belleville - Blade Bolt 3	81	RM115245	M115245	Roller	4					
	82	RM123522	M123522	Washer - Belleville - Blade Bolt	3					

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces John Deere 1545 Rotary Mower Parts



62 & 72in Rear Discharge Deck - Model 2849 72in Deck Parts

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
83	RM123520	M123520	Washer - Hardened	3	
90	RM163059	M163059	Spindle - 25 mm w/M16-2.0 Blade Bolt Thrd	3	
90	RM134382	M134382	Spindle - 25 mm w/M12-1.75 Blade Bolt Thrd	3	
92	R24M7226	24M7226	Washer - 13 x 35 x 5 mm	1	
93	RTCU51223	TCU51223	Deflector - Grass	3	
95	RM136044	M136044	Spring - Extension	1	
96	RM133598	M133598	Shield	2	
101	RM163058	M127517, M163058	Bushing - Sub For M127517	3	
103	R93-2559	TCU23201	Bearing	2	
104	RM132309	M132309	Spacer	2	
105	RM163060	M133398, M163060	Washer - Replaces RM133398	3	