


Replaces Exmark Vantage X-Series Parts



Stand-On Mower with 52in Deck - Model VTX730EKC52400 Caster Wheel





Replaces Exmark Vantage X-Series Parts



Stand-On Mower with 52in Deck - Model VTX730EKC52400 Caster Wheel

Tires 30 R130-4558 112-3810 Wheel-Tire and Bearing Assy 2 31 R130-4563 110-9965 Wheel and Tire Assy 2 Other Parts Available 64 R121-7988-01 121-7988-01 Fork - Caster 2 65 R103-2768 103-2768 Guard - Seal 4 66 R103-3051 103-3051 Spacer - Nut - Hardened 4 67 R103-0063 103-0063 Seal - Grease 4 68 R500534 1-633585, R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 69 R254-79 1-633585, Tapered Bearing Cone 4 70 R254-79 1-633584, R & R ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race: 71 R126-5359 126-5359 Caster Axle Assy w/Bushing 2 72 R103-3157 103-3157 Axle - Caster Wheel 2 73		R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity			
31 R130-4563 110-9965 Wheel and Tire Assy 2 Other Parts Available 64 R121-7988-01 121-7988-01 Fork - Caster 2 65 R103-2768 103-2768 Guard - Seal 4 66 R103-3051 103-3051 Spacer - Nut - Hardened 4 67 R103-0063 103-0063 Seal - Grease 4 68 R500534 1-633585, R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 4 69 R254-78 1-633585 Tapered Bearing Cone 4 70 R254-79 1-633584, R & R ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 7 71 R126-5359 126-5359 Caster Axle Assy w/Bushing 2 72 R103-3157 103-3157 Axle - Caster Wheel 2 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 75	Tires								
Other Parts Available 64 R121-7988-01 121-7988-01 Fork - Caster 2 65 R103-2768 103-2768 Guard - Seal 4 66 R103-3051 103-3051 Spacer - Nut - Hardened 4 67 R103-0063 103-0063 Seal - Grease 4 68 R500534 1-633585, R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 4 69 R254-78 1-633584, R & R ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 7 71 R126-5359 Caster Axle Assy w/Bushing 2 72 R103-3157 103-3157 Axle - Caster Wheel 2 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 74 R325-20 325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 R & R ONLY Seal - Grease 2 76 R254-94 1-543509	30	R130-4558	112-3810	Wheel-Tire and Bearing Assy	2				
64 R121-7988-01 121-7988-01 Fork - Caster 2 65 R103-2768 103-2768 Guard - Seal 4 66 R103-3051 103-3051 Spacer - Nut - Hardened 4 67 R103-0063 103-0063 Seal - Grease 4 68 R500534 1-633585, R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 69 R254-78 1-633585, R & R ONLY Cup - Bearing Cone 4 70 R254-79 1-633584, R & R ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 71 R126-5359 126-5359 Caster Axle Assy w/Bushing 2 72 R103-3157 103-3157 Axle - Caster Wheel 2 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 74 R325-20 325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 R & R ONLY Seal - Grease 2 76 R254-94 1-543509 Tapered Bearin	31	R130-4563	110-9965	Wheel and Tire Assy	2				
65 R103-2768 103-2768 Guard - Seal 4 66 R103-3051 103-3051 Spacer - Nut - Hardened 4 67 R103-0063 103-0063 Seal - Grease 4 68 R500534 1-633585, R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 4 70 R254-79 1-633585, R & R ONLY Cup - Bearing Cone 4 Poetail Description: Use R254-79M installation mandrel to properly install race.: 7 71 R126-5359 Caster Axle Assy w/Bushing 2 72 R103-3157 103-3157 Axle - Caster Wheel 2 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 74 R325-20 325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 R & R ONLY Seal - Grease 2 76 R254-94 1-543509 Tapered Bearing Cone 4	Othe	Other Parts Available							
66 R103-3051 103-3051 Spacer - Nut - Hardened 4 67 R103-0063 103-0063 Seal - Grease 4 68 R500534 1-633585, R & R ONLY R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 69 R254-78 1-633585 Tapered Bearing Cone 4 70 R254-79 1-633584, R & R ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 71 R126-5359 126-5359 Caster Axle Assy w/Bushing 2 72 R103-3157 103-3157 Axle - Caster Wheel 2 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 74 R325-20 325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 R & R ONLY Seal - Grease 2 76 R254-94 1-543509 Tapered Bearing Cone 4	64	R121-7988-01	121-7988-01	Fork - Caster	2				
67 R103-0063 103-0063 Seal - Grease 4 68 R500534 1-633585, R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 69 R254-78 1-633585 Tapered Bearing Cone 4 70 R254-79 1-633584, R & R ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 71 R126-5359 126-5359 Caster Axle Assy w/Bushing 2 72 R103-3157 103-3157 Axle - Caster Wheel 2 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 74 R325-20 325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 R & R ONLY Seal - Grease 2 76 R254-94 1-543509 Tapered Bearing Cone 4	65	R103-2768	103-2768	Guard - Seal	4				
68 R500534 1-633585, R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 69 R254-78 1-633585 Tapered Bearing Cone 4 70 R254-79 1-633584, R & R ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 71 R126-5359 126-5359 Caster Axle Assy w/Bushing 2 72 R103-3157 103-3157 Axle - Caster Wheel 2 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 74 R325-20 325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 R & R ONLY Seal - Grease 2 76 R254-94 1-543509 Tapered Bearing Cone 4	66	R103-3051	103-3051	Spacer - Nut - Hardened	4				
R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 69 R254-78 1-633585 Tapered Bearing Cone 4 70 R254-79 1-633584, R & R ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 2 71 R126-5359 Caster Axle Assy w/Bushing 2 72 R103-3157 103-3157 Axle - Caster Wheel 2 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 74 R325-20 325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 R & R ONLY Seal - Grease 2 76 R254-94 1-543509 Tapered Bearing Cone 4	67	R103-0063	103-0063	Seal - Grease	4				
69 R254-78 1-633585 Tapered Bearing Cone 4 70 R254-79 1-633584, R & R ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 71 R126-5359 126-5359 Caster Axle Assy w/Bushing 2 72 R103-3157 103-3157 Axle - Caster Wheel 2 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 74 R325-20 325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 116-5647, R & R ONLY Seal - Grease 2 76 R254-94 1-543509 Tapered Bearing Cone 4	68	R500534	·	Bearing - with Cup	4				
70 R254-79 1-633584, R & R ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 71 R126-5359 126-5359 Caster Axle Assy w/Bushing 2 72 R103-3157 103-3157 Axle - Caster Wheel 2 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 74 R325-20 325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 R & R ONLY Seal - Grease 2 76 R254-94 1-543509 Tapered Bearing Cone 4		Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:							
Detail Description: Use R254-79M installation mandrel to properly install race.: 71 R126-5359 126-5359 Caster Axle Assy w/Bushing 2 72 R103-3157 103-3157 Axle - Caster Wheel 2 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 74 R325-20 325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 116-5647, R & R ONLY Seal - Grease 2 76 R254-94 1-543509 Tapered Bearing Cone 4	69	R254-78	1-633585	Tapered Bearing Cone	4				
71 R126-5359 Caster Axle Assy w/Bushing 2 72 R103-3157 103-3157 Axle - Caster Wheel 2 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 74 R325-20 325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 R & R ONLY Seal - Grease 2 76 R254-94 1-543509 Tapered Bearing Cone 4	70	R254-79	·	Cup - Bearing	4				
72 R103-3157 103-3157 Axle - Caster Wheel 2 73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 74 R325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 Seal - Grease 2 76 R254-94 1-543509 Tapered Bearing Cone 4		Detail Description: Use R254-79M installation mandrel to properly install race.:							
73 R3296-25 3296-45 Locknut - 1/2-13 Heavy ESNA 2 74 R325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 Seal - Grease 2 76 R254-94 1-543509 Tapered Bearing Cone 4	71	R126-5359	126-5359	Caster Axle Assy w/Bushing	2				
74 R325-20 Bolt - Hx HD 1/2-13 x 6 2 75 R116-5647 Seal - Grease 2 76 R254-94 1-543509 Tapered Bearing Cone 4	72	R103-3157	103-3157	Axle - Caster Wheel	2				
75 R116-5647 R & R ONLY Seal - Grease 2 76 R254-94 1-543509 Tapered Bearing Cone 4	73	R3296-25	3296-45	Locknut - 1/2-13 Heavy ESNA	2				
76 R254-94 1-543509 Tapered Bearing Cone 4	74	R325-20	325-20	Bolt - Hx HD 1/2-13 x 6	2				
<u> </u>	75	R116-5647		Seal - Grease	2				
77 R254-72 1-543508 Cup - Bearing 4	76	R254-94	1-543509	Tapered Bearing Cone	4				
	77	R254-72	1-543508	Cup - Bearing	4				

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces Exmark Vantage X-Series Parts



Stand-On Mower with 52in Deck - Model VTX730EKC52400 Caster Wheel

Item R&R No Part No.	OEM Part No.	Description	Qty Order Req Quantity
78 R500596	R & R ONLY	Tapered Bearing Set - Cup and Cone	4
80 R1-633508	1-633508	Washer - Spring Disc	6
81 R3296-51	3296-51	Nut - Nylon Lock 3/4-10 Gr 8	2
82 R103-4882	103-4882	Grease Cap - Castor	2