


Replaces Toro Z Master Professional 5000 Parts

Zero Turn Mower with 72in deck - Model 74934 Caster Wheel





All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces Toro Z Master Professional 5000 Parts



Zero Turn Mower with 72in deck - Model 74934 Caster Wheel

5					
TIRES		Click Here to View Complete Tire Selection	0		
R109-9127	109-9124, 109-9125, 109-9127	Tire & Wheel - 13x6.50-6 Flat Free	2		
R127-9528	127-9528	Tire & Wheel - 13x6:50-6 Smooth Semi Pneumatic	2		
al Michelin Tweel	Tires		_		
RTMT73818	109-9127, 126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604, 140-4896	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2		
Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:					
RTMT41011	109-9127, 126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604, 139-3639, 140-4896	Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2		
	2127-9528 al Michelin Tweel CTMT73818 Detail Description: N adius mowers, and which helps ensure lampen the ride for umps. They are de	2109-9127 109-9125, 109-9127, 109-9127, 126-7592, 126-7753, 127-9526, 127-9526, 127-9540, 139-3604, 140-4896 CTMT73818 127-9528, 127-9540, 139-3604, 140-4896 Detail Description: Michelin X Tweel Turf caster adius mowers, and completely eliminate the which helps ensure the mower deck produces lampen the ride for enhanced operator comformers. They are designed to provide a long w 109-9127, 126-7592, 126-7753, 127-9526, 127-9526, 127-9526, 127-9526, 127-9526, 127-9526, 127-9526, 127-9526, 127-9540, 139-3604, 139-3604, 139-3639, 127-9540, 139-3639, 127-9528, 127-9540, 139-3639, 127-9540, 139-3639, 127-9540, 139-3639, 127-9540, 139-3639, 127-9540, 139-3639, 127-9540, 139-3639, 127-9540, 139-3639, 127-9540, 139-3639, 127-9540, 139-3604, 139-3639, 127-9540, 139-3639, 127-9540, 139-3604, 139-3604, 139-3604, 139-3604, 139-3604, 139-3604, 139-3604, 139-3604, 139-3604, 139-3604, 139-3604, 139-3604, 139-3639, 127-9540, 127-9540, 127-9540, 127-9540, 127-9540, 127-9540, 127-9540, 127-9540, 127-9540, 127-9540, 127-9540, 127-9540, 127-9540, 12	InteractionInteractionInteractionInteractionInteraction109-9125, 109-9127, 126-7592, 126-7592, 126-7592, 126-7592, 126-7592, 126-7592, 126-7592, 126-7592, 127-9526, Grooved - 13x6.5N6 (5/8in Nount) 290 lb Max LoadInteraction109-9127, 126-7592, 126-7592, 126-7592, 126-7592, 126-75940, 139-3604, 140-4896Interaction109-9127, 126-7592, 126-7592, 126-7592, 126-7592, 126-7592, 126-7592, 126-7592, 126-7592, 126-7592, 126-753, 127-9540, 139-3604, 140-4896Interaction<	109-9127 109-9125, 109-9127 Tire & Wheel - 13x6:50-6 Smooth Semi Pneumatic 2 1127-9528 127-9528 Tire & Wheel - 13x6:50-6 Smooth Semi Pneumatic 2 al Michelin Tweel Tires 109-9127, 126-7592, 126-7592, 126-753, 127-9526, 127-9528, 127-9528, 127-9540, 139-3604, 139-3604, 140-4896 Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in 2 2 Petail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn adius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height hich helps ensure the mower deck produces an even cut, while the poly-resin spokes help ampen the ride for enhanced operator comfort, even when navigating over curbs and other umps. They are designed to provide a long wear life.: 109-9127, 126-7592, 126-7592, 126-7593, 127-9526, Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 2 STMT41011 127-9528, 139-3604, 139-3604, 139-3639, Smooth - 13x6.5N6 (5/8in Mount) 2	

which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.

Pro	ducts	Zero Turn Mower with 72in Caster Wheel	deck - Model 74934	
	R&R Part No.	OEM Part No.	Description	Qty Order Req Quantity
31	RTMT40653		Michelin Spacer - 1/2in ID x 1in OD	4
Othe	r Parts Availa	ble		
70	R116-8888	103-1474-01, 116-6707-01, 116-8888	Fork - Caster 7.875 in Inside	2
71	R254-94	1-543509, 254-94, 32-8090, 32-8240, 32-9640, 40440, 62-3330	Tapered Bearing Cone	4
72	R254-72	01-103-0050, 01-103-0120, 01-103-0140, 1-543508, 254-71, 254-72, 40439, 62-3340, 99-4511	Cup - Bearing	4
73	R1-633508	1-633508	Washer - Spring Disc	6
74	R3296-51	3296-51, 3296-81	Nut - Nylon Lock 3/4-10 Gr 8	2
75	R103-4882	103-4882	Grease Cap - Castor	2
76	R325-39	325-39	Bolt - Hx HD 1/2-13 x 9 1/2	2
77	R103-3051	103-3051	Spacer - Nut - Hardened	4
78	R103-2768	103-2768	Guard - Seal	4
79	R103-0063	103-0063	Seal - Grease	4

Replaces Toro Z Master Professional

5000 Parts

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces Toro Z Master Professional 5000 Parts



Zero Turn Mower with 72in deck - Model 74934 Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
80	R254-78	01-102-0060, 01-102-0130, 1-633585, 254-78, 32-7790, 32-9580, 93-4813	Tapered Bearing Cone	4	
81	R126-5361	126-5361	Axle Assy - with Bushing - Caster	2	
82	R103-5156	103-5156	Axle- Caster	2	
83	RF5003	32127-29, 32131-5, 32132-5, 3296-23	Locknut - ESNA 1/2-13	2	

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.